2" FD ⁻ W/TP **PANTRY** NOTE: FLOOR TO BE SLOPED @ 2% TO DRAINS SEE STRUCTURAL DRAWINGS EFD W/TP GAS-FIRED INSTANTANEOUS WATER HEATER MOUNTED ABOVE INTERCEPTOR
W/ FLOOR PLAN W/ TRAP PRIMER EXTEND
DRAINS TO 2" FD 3" SAN. BELOW GRADE TO SAN. SEWER SEE CIVIL DWGS FOR CONTINUATION FULLY RECESSED GREASE INTERCEPTOR SIMILAR TO A.O. SMITH MODEL 8020 - 3" VENT GREASE TRAP CALCULATION P-9 BOWL 31"x22"x7"=477 CU INCHES TOTAL CU INCHES: <u>4774</u> P-8 <u>4774 CUBIC INCHES</u> = 20.6 GALLONS 231 20.6 GALLONS x 0.75 FULL = 15.49 GALLONS 3" FS -15.49 GALLONS = 15.49 FLOW RATE 1 MIN. ICE MAKER 2" FD W/TP MECH./ELEC. 2" FD — W/TP RECYCLING SEE KITCHEN DRAWINGS FOR EQUIPMENT SPECIFICATIONS. NUMBERS INDICATED FOR EQUIPMENT TAKEN FROM THESE DRAWINGS BUILDING 2 - FLOOR PLAN SANITARY
P102 1/4" = 1'-0"

Samaha oo Associates P.C. orchitects

9990 FAIRFAX BOULVEVARD SUITE 350
FAIRFAX, VIRGINIA 22030-1739
PHONE 703-691-3311 FAX 703-691-3316

S3E Klingemann, Inc.
8001 Braddock Road
Suite 200
Springfield, Virginia 22151
Phone: (703) 978-0100
Fax: (703) 978-6038
S3EK Project #08194.01

No.	Description	Date
1	ADDENDUM #1	05/12/2010
·		

Loudoun Youth Shelter

Additions & Renovations

Meadowview Court

-Sheet Title:

> PLUMBING FLOOR PLANS SANITARY BUILDING 2

_____ Drawing Numb

P102

Drawn By: TN Project Number:
Checked By: ES Project Number